ELSEVIER

25 May 2000

Optics Communications 179 (2000) 609–613

OPTICS COMMUNICATIONS

www.elsevier.com/locate/optcom

Author index to volume 179

Abich, K. and P.E. Toschek, Elimination of quantum noise in the beat note of a laser 179 (2000) 491
Agarwal, G.S., see Patnaik, A.K. 179 (2000) 97
Arecchi, F.T., J. Bragard and L.M. Castellano, Dissipative dynamics of an open Bose Einstein condensate 179 (2000) 149

Badurek, G., H. Rauch, M. Suda and H. Weinfurter, Identification of nonclassical states in neutron spin precession experiments 179 (2000) 13
Becker, W., see Czirják, A. 179 (2000) 29
Becker, W., see Kopold, R. 179 (2000) 39
Bennink, R.S., see Yoon, Y.-K. 179 (2000) 577
Bergmann, K., see Vitanov, N.V. 179 (2000) 73
Bergou, J.A., M. Hillery and P. Bogár, Pump-coupled micromasers: coherent and incoherent coupling 179 (2000) 289
Bergou, J.A., see Englert, B.-G. 179 (2000) 337
Berman, P.R. and G. Khitrova, Theory of pump-probe spectroscopy using an amplitude approach 179 (2000) 19
Bialynicki-Birula, I., The Wigner functional of the electromagnetic field 179 (2000) 237
Bogár, P., see Bergou, J.A. 179 (2000) 289
Bonifacio, R., B.W.J. McNeil, N. Piovella and G.R.M. Robb, Recoil-induced effects in passive and active atomic systems 179 (2000) 559
Bovino, F., see De Martini, F. 179 (2000) 581
Bowden, C.M. and M.E. Crenshaw, Cooperativities in two-level systems 179 (2000) 63
Boyd, R.W., see Yoon, Y.-K. 179 (2000) 577
Bragard, J., see Arecchi, F.T. 179 (2000) 149
Braun, D., P.A. Braun and F. Haake, Long-lived quantum coherence between macroscopically distinct states in superradiance 179 (2000) 411
Braun, P.A., see Braun, D. 179 (2000) 411

Carmichael, H.J. and K. Kim, A quantum trajectory unraveling of the superradiance master equation 179 (2000) 417
Castellano, L.M., see Arecchi, F.T. 179 (2000) 149
Caves, C.M. and G.J. Milburn, Qutrit entanglement 179 (2000) 439
Chiao, R.Y., Bogoliubov dispersion relation for a 'photon fluid': Is this a superfluid? 179 (2000) 157
Chow, W.W., see Knorr, A. 179 (2000) 167
Clausen, J., M. Dakna, L. Knöll and D.-G. Welsch, Measuring quantum state overlaps of traveling optical fields 179 (2000) 189
Cohen, L., The uncertainty principles of windowed wave functions 179 (2000) 221

PII: S0030-4018(00)00699-4

Collett, M.J., see Hope, J.J. 179 (2000) 571
Coussement, R., see Shakhmuratov, R.N. 179 (2000) 525
Crenshaw, M.E., see Bowden, C.M. 179 (2000) 63
Czirják, A., R. Kopold, W. Becker, M. Kleber and W.P. Schleich, The Wigner function for tunneling in a uniform static electric field 179 (2000) 29

Dakna, M., see Clausen, J. 179 (2000) 189
Danzmann, K., see Wicht, A. 179 (2000) 107
De Jong, F.B., B.T. Wolschrijn, R.J.C. Spreeuw and H.B. van Linden van den Heuvell, Coherence-driven gain and its possible measurement in pump–probe experiments 179 (2000) 505
De Martini, F., V. Mussi and F. Bovino, Schroedinger cat states and optimum universal quantum cloning by entangled parametric amplification 179 (2000) 581
Dorn, R., see Quabis, S. 179 (2000) 1
Dürr, S. and G. Rempe, Complementarity and quantum erasure in an atom interferometer 179 (2000) 323

Eberler, M., see Quabis, S. 179 (2000) 1
Eberly, J.H., see Kozlov, V.V. 179 (2000) 85
Englert, B.-G. and H. Walther, Preparing a GHZ state, or an EPR state, with the one-atom maser 179 (2000) 283
Englert, B.-G. and J.A. Bergou, Quantitative quantum erasure 179 (2000) 337
Erhard, M. and C.H. Keitel, Amplification without inversion in tailored vacua 179 (2000) 517

Fleischhauer, M., S.F. Yelin and M.D. Lukin, How to trap photons? Storing single-photon quantum states in collective atomic excitations 179 (2000) 395
Ford, G.W. and R.F. O'Connell, Driven systems and the Lax formula 179 (2000) 451
Ford, G.W. and R.F. O'Connell, Comment on "The Lax-Onsager Regression "Theorem" Revisited" 179 (2000) 477
Fry, E.S., M.D. Lukin, T. Walther and G.R. Welch, Four-level atomic coherence and cw VUV lasers 179 (2000) 499

Gatti, A., K.I. Petsas, I. Marzoli and L.A. Lugiato, Investigation of spatial Einstein–Podolsky–Rosen aspects in the degenerate optical parametric oscillator 179 (2000) 591
Gea-Banacloche, J., A bouncing wavepacket: finite-wall and resonance effects 179 (2000) 117
Gladkova, I., see Manassah, J.T. 179 (2000) 51
Glöckl, O., see Quabis, S. 179 (2000) 1

Haake, F., see Braun, D. 179 (2000) 411
Harel, G., see Kurizki, G. 179 (2000) 371
Herzog, U., Influence of statistics on decoherence and quantum Zeno dynamics 179 (2000) 381
Heurich, J., M.G. Moore and P. Meystre, Cavity atom optics and the 'free atom laser' 179 (2000) 549
Hillery, M., see Bergou, J.A. 179 (2000) 289
Hope, J.J., G.M. Moy, M.J. Collett and C.M. Savage, The linewidth of a non-Markovian atom laser 179 (2000) 571

Imamoğlu, A., Electromagnetically induced transparency with two dimensional electron spins 179 (2000) 179

Johnson, M.A. and C.H. Townes, Quantum effects and optimization of heterodyne detection 179 (2000) 183

Keitel, C.H., see Erhard, M. 179 (2000) 517
Keller, C., J. Schmiedmayer and A. Zeilinger, Requirements for coherent atom channeling 179 (2000) 129
Khitrova, G., see Berman, P.R. 179 (2000) 19
Kim, K., see Carmichael, H.J. 179 (2000) 417
Kim, Y.-H., see Shih, Y. 179 (2000) 357
Klappauf, B.G., see Oskay, W.H. 179 (2000) 137
Kleber, M., see Czirják, A. 179 (2000) 29
Kleber, M., see Kopold, R. 179 (2000) 39
Knight, P.L., see Paspalakis, E. 179 (2000) 257
Knöll, L., see Clausen, J. 179 (2000) 189
Knöll, L., see Schmidt, E. 179 (2000) 603
Knorr, A., S.W. Koch and W.W. Chow, Optics in the multipole approximation: from atomic systems to solids 179 (2000) 167
Koch, S.W., see Knorr, A. 179 (2000) 167
Kocharovskaya, O., see Kolesov, R. 179 (2000) 537
Kolesov, R., Y. Rostovtsev and O. Kocharovskaya, Laser control of Mossbauer spectra as a way to gamma-ray lasing 179 (2000) 537
Kopold, R., W. Becker and M. Kleber, Quantum path analysis of high-order above-threshold ionization 179 (2000) 39
Kopold, R., see Czirják, A. 179 (2000) 29
Kozhekin, A., see Kurizki, G. 179 (2000) 371
Kozlov, V.V. and J.H. Eberly, Ultrashort pulses in phaseonium: the interplay between SIT and EIT 179 (2000) 85
Kozyreff, G., see Shakhmuratov, R.N. 179 (2000) 525
Kurizki, G., A. Kozhekin and G. Harel, Control by interfering quantum evolutions or 'Welcher-Weg' in history 179 (2000) 371

Lax, M., The Lax–Onsager regression 'theorem' revisited 179 (2000) 463
Leuchs, G., see Quabis, S. 179 (2000) 1
Lugiato, L.A., see Gatti, A. 179 (2000) 591
Lukin, M.D., see Fleischhauer, M. 179 (2000) 395
Lukin, M.D., see Fry, E.S. 179 (2000) 499

Manassah, J.T. and I. Gladkova, Superradiant amplification in an optically dense three-level cascade system 179 (2000) 51
Mandel, P., see Shakhmuratov, R.N. 179 (2000) 525
Marzoli, I., see Gatti, A. 179 (2000) 591
Massoni, E. and M. Orszag, Phonon–photon translator 179 (2000) 315
McNeil, B.W.J., see Bonifacio, R. 179 (2000) 559
Meystre, P., see Heurich, J. 179 (2000) 549
Milburn, G.J., see Caves, C.M. 179 (2000) 439
Milner, V., see Oskay, W.H. 179 (2000) 137
Mølmer, K., Entanglement of distant atoms by a continuous supply of quantum correlated photons 179 (2000) 429
Moore, M.G., see Heurich, J. 179 (2000) 549
Moy, G.M., see Hope, J.J. 179 (2000) 571
Müller, M., see Wicht, A. 179 (2000) 107
Mussi, V., see De Martini, F. 179 (2000) 581

Nieto, M.M. and D. Rodney Truax, Higher-power coherent and squeezed states 179 (2000) 197

O'Connell, R.F., see Ford, G.W. 179 (2000) 451
O'Connell, R.F., see Ford, G.W. 179 (2000) 477
Odeurs, J., see Shakhmuratov, R.N. 179 (2000) 525
Orszag, M., see Massoni, E. 179 (2000) 315
Oskay, W.H., D.A. Steck, V. Milner, B.G. Klappauf and M.G. Raizen, Ballistic peaks at quantum resonance 179 (2000) 137

Paspalakis, E. and P.L. Knight, Spontaneous emission properties of a quasi-continuum 179 (2000) 257
Patnaik, A.K. and G.S. Agarwal, Laser field induced birefringence and enhancement of magneto-optical rotation 179 (2000) 97
Pereira, S.F., M.B. Willemsen, M.P. van Exter and J.P. Woerdman, Frequency spectra and waveguiding of a family of daisy modes in vertical-cavity surface-emitting lasers 179 (2000) 485
Petsas, K.I., see Gatti, A. 179 (2000) 591
Pilloff, H.S., The effect of the van der Waals interaction on the excited state for atom guiding in metal-coated, hollow-core optical fibers 179 (2000) 123
Piovella, N., see Bonifacio, R. 179 (2000) 559
Pittenger, A.O. and M.H. Rubin, Note on separability of the Werner states in arbitrary dimensions 179 (2000) 447

Qamar, S., see Zubairy, M.S. 179 (2000) 275
Quabis, S., R. Dorn, M. Eberler, O. Glöckl and G. Leuchs, Focusing light to a tighter spot 179 (2000) 1

Raizen, M.G., see Oskay, W.H. 179 (2000) 137
Ramsey, N.F., Experiments dependent on neutron spin transitions 179 (2000) 9
Rauch, H., see Badurek, G. 179 (2000) 13
Rempe, G., see Dürr, S. 179 (2000) 323
Richter, Th., A new operational defined representation of the Wigner function of an optical field 179 (2000) 231
Rinkleff, R.-H., see Wicht, A. 179 (2000) 107
Robb, G.R.M., see Bonifacio, R. 179 (2000) 559
Rocco, A., see Wicht, A. 179 (2000) 107
Rodney Truax, D., see Nieto, M.M. 179 (2000) 197
Rostovtsev, Y., see Kolesov, R. 179 (2000) 537
Rubin, M.H., see Pittenger, A.O. 179 (2000) 447

Savage, C.M., see Hope, J.J. 179 (2000) 571
Schleich, W.P., see Czirják, A. 179 (2000) 29
Schmidt, E., L. Knöll and D.-G. Welsch, Quantum noise of damped N-solitons 179 (2000) 603
Schmiedmayer, J., see Keller, C. 179 (2000) 129
Shakhmuratov, R.N., G. Kozyreff, R. Coussement, J. Odeurs and P. Mandel, Gain without inversion for gamma radiation 179 (2000) 525
Shih, Y. and Y.-H. Kim, Quantum entanglement: from Popper's experiment to quantum eraser 179 (2000) 357
Shore, B.W., see Vitanov, N.V. 179 (2000) 73
Sipe, J.E., see Yoon, Y.-K. 179 (2000) 577
Spreeuw, R.J.C., see de Jong, F.B. 179 (2000) 505

Steck, D.A., see Oskay, W.H. 179 (2000) 137
Stenholm, S., How to see a ghost 179 (2000) 247
Suda, M., see Badurek, G. 179 (2000) 13
Süssmann, G., A purely kinematical derivation of the Lorentz group 179 (2000) 479
Swain, S., see Zhou, P. 179 (2000) 267

Toschek, P.E., see Abich, K. 179 (2000) 491
Townes, C.H., see Johnson, M.A. 179 (2000) 183

Unanyan, R.G., see Vitanov, N.V. 179 (2000) 73

Van Exter, M.P., see Pereira, S.F. 179 (2000) 485
Van Linden van den Heuvell, H.B., see de Jong, F.B. 179 (2000) 505
Vitanov, N.V., B.W. Shore, R.G. Unanyan and K. Bergmann, Measuring a coherent superposition 179 (2000) 73

Walther, H., see Englert, B.-G. 179 (2000) 283
Walther, T., see Fry, E.S. 179 (2000) 499
Weinfurter, H., see Badurek, G. 179 (2000) 13
Welch, G.R., see Fry, E.S. 179 (2000) 499
Welsch, D.-G., see Clausen, J. 179 (2000) 189
Welsch, D.-G., see Schmidt, E. 179 (2000) 603
Wicht, A., M. Müller, R.-H. Rinkleff, A. Rocco and K. Danzmann, Experimental demonstration of negative dispersion without absorption 179 (2000) 107
Willemsen, M.B., see Pereira, S.F. 179 (2000) 485
Wódkiewicz, K., Interference, Schrödinger cat and quantum blurring 179 (2000) 215
Woerdman, J.P., see Pereira, S.F. 179 (2000) 485
Wolschrijn, B.T., see de Jong, F.B. 179 (2000) 505

Yelin, S.F., see Fleischhauer, M. 179 (2000) 395
Yoon, Y.-K., R.S. Bennink, R.W. Boyd and J.E. Sipe, Intrinsic optical bistability in a thin layer of nonlinear optical material by means of local field effects 179 (2000) 577

Zeilinger, A., see Keller, C. 179 (2000) 129
Zhou, P. and S. Swain, Cavity engineering of quantum interference 179 (2000) 267
Zubairy, M.S. and S. Qamar, Observing the quantum interference using phase-sensitive amplification 179 (2000) 275

ELSEVIER

25 May 2000

Optics Communications 179 (2000) 615–618

OPTICS COMMUNICATIONS

www.elsevier.com/locate/optcom

Subject index to volume 179

Editorial Guidelines and Instructions to Authors v

Editorial xi

Contents xiii

Propagation and scattering

S. Quabis, R. Dorn, M. Eberler, O. Glöckl and G. Leuchs, Focusing light to a tighter spot 1

Atomic and molecular physics

N.F. Ramsey, Experiments dependent on neutron spin transitions 9

G. Badurek, H. Rauch, M. Suda and H. Weinfurter, Identification of nonclassical states in neutron spin precession experiments 13

P.R. Berman and G. Khitrova, Theory of pump-probe spectroscopy using an amplitude approach 19

A. Czirják, R. Kopold, W. Becker, M. Kleber and W.P. Schleich, The Wigner function for tunneling in a uniform static electric field 29

R. Kopold, W. Becker and M. Kleber, Quantum path analysis of high-order above-threshold ionization 39

J.T. Manassah and I. Gladkova, Superradiant amplification in an optically dense three-level cascade system 51

C.M. Bowden and M.E. Crenshaw, Cooperativities in two-level systems 63

N.V. Vitanov, B.W. Shore, R.G. Unanyan and K. Bergmann, Measuring a coherent superposition 73

V.V. Kozlov and J.H. Eberly, Ultrashort pulses in phaseonium: the interplay between SIT and EIT 85

A.K. Patnaik and G.S. Agarwal, Laser field induced birefringence and enhancement of magneto-optical rotation 97

A. Wicht, M. Müller, R.-H. Rinkleff, A. Rocco and K. Danzmann, Experimental demonstration of negative dispersion without absorption 107

PII: S0030-4018(00)00700-8

J. Gea-Banacloche, A bouncing wavepacket: finite-wall and resonance effects 117

H.S. Pilloff, The effect of the van der Waals interaction on the excited state for atom guiding in metal-coated, hollow-core optical fibers 123

C. Keller, J. Schmiedmayer and A. Zeilinger, Requirements for coherent atom channeling 129

W.H. Oskay, D.A. Steck, V. Milner, B.G. Klappauf and M.G. Raizen, Ballistic peaks at quantum resonance 137

F.T. Arecchi, J. Bragard and L.M. Castellano, Dissipative dynamics of an open Bose Einstein condensate 149

Condensed matter

R.Y. Chiao, Bogoliubov dispersion relation for a 'photon fluid': Is this a superfluid? 157

A. Knorr, S.W. Koch and W.W. Chow, Optics in the multipole approximation: from atomic systems to solids 167

A. Imamoğlu, Electromagnetically induced transparency with two dimensional electron spins 179

Quantum optics

M.A. Johnson and C.H. Townes, Quantum effects and optimization of heterodyne detection 183

J. Clausen, M. Dakna, L. Knöll and D.-G. Welsch, Measuring quantum state overlaps of traveling optical fields 189

M.M. Nieto and D. Rodney Truax, Higher-power coherent and squeezed states 197

K. Wódkiewicz, Interference, Schrödinger cat and quantum blurring 215

L. Cohen, The uncertainty principles of windowed wave functions 221

Th. Richter, A new operational defined representation of the Wigner function of an optical field 231

I. Bialynicki-Birula, The Wigner functional of the electromagnetic field 237

S. Stenholm, How to see a ghost 247

E. Paspalakis and P.L. Knight, Spontaneous emission properties of a quasi-continuum 257

P. Zhou and S. Swain, Cavity engineering of quantum interference 267

M.S. Zubairy and S. Qamar, Observing the quantum interference using phase-sensitive amplification 275

B.-G. Englert and H. Walther, Preparing a GHZ state, or an EPR state, with the one-atom maser 283

J.A. Bergou, M. Hillery and P. Bogár, Pump-coupled micromasers: coherent and incoherent coupling 289

E. Massoni and M. Orszag, Phonon–photon translator 315

S. Dürr and G. Rempe, Complementarity and quantum erasure in an atom interferometer 323

B.-G. Englert and J.A. Bergou, Quantitative quantum erasure 337

Y. Shih and Y.-H. Kim, Quantum entanglement: from Popper's experiment to quantum eraser 357

G. Kurizki, A. Kozhekin and G. Harel, Control by interfering quantum evolutions or 'Welcher-Weg' in history 371

U. Herzog, Influence of statistics on decoherence and quantum Zeno dynamics 381

M. Fleischhauer, S.F. Yelin and M.D. Lukin, How to trap photons? Storing single-photon quantum states in collective atomic excitations 395

D. Braun, P.A. Braun and F. Haake, Long-lived quantum coherence between macroscopically distinct states in superradiance 411

H.J. Carmichael and K. Kim, A quantum trajectory unraveling of the superradiance master equation 417

K. Mølmer, Entanglement of distant atoms by a continuous supply of quantum correlated photons 429

C.M. Caves and G.J. Milburn, Qutrit entanglement 439

A.O. Pittenger and M.H. Rubin, Note on separability of the Werner states in arbitrary dimensions 447

G.W. Ford and R.F. O'Connell, Driven systems and the Lax formula 451

M. Lax, The Lax–Onsager regression 'theorem' revisited 463

G.W. Ford and R.F. O'Connell, Comment on ''The Lax-Onsager Regression ''Theorem'' Revisited'' 477

G. Süssmann, A purely kinematical derivation of the Lorentz group 479

Laser physics and laser sources

S.F. Pereira, M.B. Willemsen, M.P. van Exter and J.P. Woerdman, Frequency spectra and waveguiding of a family of daisy modes in vertical-cavity surface-emitting lasers 485

K. Abich and P.E. Toschek, Elimination of quantum noise in the beat note of a laser 491

E.S. Fry, M.D. Lukin, T. Walther and G.R. Welch, Four-level atomic coherence and cw VUV lasers 499

F.B. de Jong, B.T. Wolschrijn, R.J.C. Spreeuw and H.B. van Linden van den Heuvell, Coherence-driven gain and its possible measurement in pump–probe experiments 505

M. Erhard and C.H. Keitel, Amplification without inversion in tailored vacua 517

R.N. Shakhmuratov, G. Kozyreff, R. Coussement, J. Odeurs and P. Mandel, Gain without inversion for gamma radiation 525

R. Kolesov, Y. Rostovtsev and O. Kocharovskaya, Laser control of Mossbauer spectra as a way to gamma-ray lasing 537

J. Heurich, M.G. Moore and P. Meystre, Cavity atom optics and the 'free atom laser' 549

R. Bonifacio, B.W.J. McNeil, N. Piovella and G.R.M. Robb, Recoil-induced effects in passive and active atomic systems 559

J.J. Hope, G.M. Moy, M.J. Collett and C.M. Savage, The linewidth of a non-Markovian atom laser 571

Non-linear optics

Y.-K. Yoon, R.S. Bennink, R.W. Boyd and J.E. Sipe, Intrinsic optical bistability in a thin layer of nonlinear optical material by means of local field effects 577

F. De Martini, V. Mussi and F. Bovino, Schroedinger cat states and optimum universal quantum cloning by entangled parametric amplification 581

A. Gatti, K.I. Petsas, I. Marzoli and L.A. Lugiato, Investigation of spatial Einstein–Podolsky–Rosen aspects in the degenerate optical parametric oscillator 591

E. Schmidt, L. Knöll and D.-G. Welsch, Quantum noise of damped *N*-solitons 603